

Patient Information	Specimen Information	Client Information

**Immunology**

Test Name	Result	Reference Range	Lab
-----------	--------	-----------------	-----

LUPUS PANEL 3 W/ANA, IFA W/REFL TITER/PATTERN

ANA SCREEN, IFA, W/REFL TITER AND PATTERN

ANA SCREEN, IFA

NEGATIVE

NEGATIVE

ANA IFA is a first line screen for detecting the presence of up to approximately 150 autoantibodies in various autoimmune diseases. A negative ANA IFA result suggests an ANA-associated autoimmune disease is not present at this time, but is not definitive. If there is high clinical suspicion for Sjogren's syndrome, testing for anti-SS-A/Ro antibody should be considered. Anti-Jo-1 antibody should be considered for clinically suspected inflammatory myopathies.

AC-0: Negative

International Consensus on ANA Patterns (<https://doi.org/10.1515/cclm-2018-0052>)

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ177> (This link is being provided for informational/ educational purposes only.)

DNA (DS) ANTIBODY	<1	IU/mL
IU/mL	Interpretation	
< or = 4	Negative	
5-9	Indeterminate	
> or = 10	Positive	
SJOGREN'S ANTIBODY (SS-A)	<1.0 NEG	<1.0 NEG AI
SJOGREN'S ANTIBODY (SS-B)	<1.0 NEG	<1.0 NEG AI
SM ANTIBODY	<1.0 NEG	<1.0 NEG AI
RNP ANTIBODY	<1.0 NEG	<1.0 NEG AI
CHROMATIN (NUCLEOSOMAL) ANTIBODY	<1.0 NEG	<1.0 NEG AI
COMPLEMENT COMPONENT C3C	112	83-193 mg/dL
COMPLEMENT COMPONENT C4C	15	15-57 mg/dL
COMPLEMENT, TOTAL (CH50)	56	31-60 U/mL

Physician Comments:

**PERFORMING SITE:**

**SPECIMEN:**