

## — Cardiovascular Health

The circulatory system, also known as the cardiovascular system (CVS), is a vast network of organs and vessels that are responsible for the flow of blood, nutrients, oxygen, other gases, and hormones ... [See more](#)

## Coagulation

Normally, if you get hurt, your body forms a blood clot to stop the bleeding. For blood to clot, your body needs cells called platelets and proteins known as clotting factors. If you have a bleeding disorder, ... [See more](#)

— COMMENT

SEE NOTE

Range: See Comments

### COMMENT

#### Result Comments

For further inquiries regarding specific clinical problems or coagulation laboratory test issues, please call a Quest Diagnostics Customer Support Representative, (800) 553-5445 for referral to the Medical Director of Coagulation.

— PHOSPHATIDYLS...


15

(U)

Range: < OR = 30

### PHOSPHATIDYLSERINE/ PROTHROMBIN AB (IGG)

(U)



#### Result Comments

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ262> (This link is being provided for informational/educational purposes only.)

— PHOSPHATIDYLS...

14

(U)


Range: < OR = 30

PHOSPHATIDYLSERINE/

**PROTHROMBIN AB (IGM)**

(U)

30



**Result Comments**

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ262>  
(This link is being provided for informational/educational purposes only.)

**CARDIOLIPIN AB (...)** **<2.0**  
(APL-U/mL)

Range: See Comments

**CARDIOLIPIN AB (IGA)**

(APL-U/mL)

**CARDIOLIPIN AB (...)** **<2.0**  
(GPL-U/mL)

Range: See Comments

**CARDIOLIPIN AB (IGG)**

(GPL-U/mL)

**CARDIOLIPIN AB (...)** **<2.0**  
(MPL-U/mL)

Range: See Comments

**CARDIOLIPIN AB (IGM)**

(MPL-U/mL)

**Result Comments**

The antiphospholipid antibody syndrome (APS) is a clinical-pathologic correlation that includes a clinical event (e.g. arterial or venous thrombosis, pregnancy morbidity) and persistent positive antiphospholipid antibodies (IgM, IgG Cardiolipin or b2GPI antibodies greater than the 99th percentile; or a lupus anticoagulant). International consensus guidelines for APS suggest waiting at least 12 weeks before retesting to confirm antibody persistence. The Systemic Lupus International Collaborating

Clinics immunological classification criteria for systemic lupus erythematosus (SLE) include testing for isotype IgA, which has yet to be incorporated into APS criteria. Low level antiphospholipid antibodies may sometimes be detected in the setting of infection, drug therapy or aging.

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ109>  
(This link is being provided for informational/educational purposes only.)

#### Cardiolipin Ab (IgA)

Value	Interpretation
<20.0	Antibody not detected
> or = 20.0	Antibody detected

#### Cardiolipin Ab (IgG)

Value	Interpretation
<20.0	Antibody not detected
> or = 20.0	Antibody detected

#### Cardiolipin Ab (IgM)

Value	Interpretation
<20.0	Antibody not detected
> or = 20.0	Antibody detected

### — Metabolic & Endocrine Health

The endocrine system is the collection of glands, each of which secretes different types of hormones that regulate metabolism, growth and development, tissue function, sexual function, reproduction, ... [See more](#)

### Phospholipid Abnormalities

A substance in the body that contains both lipid (fat) and phosphorous; phospholipids are found in all cells throughout the body because they are a major component of the cell membrane, the outermost ... [See more](#)

— B2 GLYCOPROTEI... **<2.0**  
(U/mL) Range: See Comments

### B2 GLYCOPROTEIN I (IGG)AB

(U/mL)

#### Result Comments

Value	Interpretation
-----	-----
<20.0	Antibody not detected
> or = 20.0	Antibody detected

▣ B2 GLYCOPROTEI...  
(U/mL)

**<2.0**

Range: See Comments

### B2 GLYCOPROTEIN I (IGA)AB

(U/mL)

#### Result Comments

Value	Interpretation
-----	-----
<20.0	Antibody not detected
> or = 20.0	Antibody detected

▣ B2 GLYCOPROTEI...  
(U/mL)

**<2.0**

Range: See Comments

### B2 GLYCOPROTEIN I (IGM)AB

(U/mL)

#### Result Comments

Value	Interpretation
-----	-----
<20.0	Antibody not detected
> or = 20.0	Antibody detected

Uta Lab Tests  
SAMPLE RESULTS