

Metabolic & Endocrine Health

The endocrine system is the collection of glands, each of which secretes different types of hormones that regulate metabolism, growth and development, tissue function, sexual function, reproduction, ... [See more](#)

Thyroid

The thyroid is one of the endocrine glands, which make hormones. Thyroid hormones control the rate of many activities in your body. These include how fast you burn calories and how fast your heart beats. ... [See more](#)

THYROID PEROXI...
(IU/mL)

1

Range: <9

THYROID PEROXIDASE ANTIBODIES

(IU/mL)



Liver Health

The liver is one of the largest internal organs and is an important in your health. It is part of the digestive system and is connected to the small intestine by the bile duct. The liver is a multitasking ... [See more](#)

Liver Enzymes and Function Tests

Liver Enzymes and Function tests are used to see how well your liver is working. Your liver is the largest organ inside your body and it helps your body digest food, store energy, and remove poisons.

There ... [See more](#)

+ MITOCHONDRIAL ...

NEGATIVE

Range: NEGATIVE

Immune System Health

Autoimmune Disease

Your body's immune system protects you from disease and infection. But if you have an autoimmune disease, your immune system attacks healthy cells in your body by mistake. Autoimmune diseases can affect ... [See more](#)

ANA SCREEN, IFA

NEGATIVE

Range: NEGATIVE

ANA SCREEN, IFA

The antinuclear antibody (ANA) test is ordered to help screen for

autoimmune disorders and is most often used as one of the tests to diagnose systemic lupus erythematosus (SLE).

Result Comments

ANA IFA is a first line screen for detecting the presence of up to approximately 150 autoantibodies in various autoimmune diseases. A negative ANA IFA result suggests an ANA-associated autoimmune disease is not present at this time, but is not definitive. If there is high clinical suspicion for Sjogren's syndrome, testing for anti-SS-A/Ro antibody should be considered. Anti-Jo-1 antibody should be considered for clinically suspected inflammatory myopathies.

AC-0: Negative

International Consensus on ANA Patterns
(<https://doi.org/10.1515/cclm-2018-0052>)

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ177>
(This link is being provided for informational/educational purposes only.)

▢ SJOGREN'S ANTI...

(AI)

<1.0 NEG

Range: <1.0 NEG

SJOGREN'S ANTIBODY (SS-A)

(AI)

▢ SJOGREN'S ANTI...

(AI)

<1.0 NEG

Range: <1.0 NEG

SJOGREN'S ANTIBODY (SS-B)

(AI)

▢ RHEUMATOID FA...

(IU/mL)


<10

Range: <14

RHEUMATOID FACTOR

(IU/mL)

Rheumatoid factor (RF) is a blood test that measures the amount of the RF antibody in the blood. An abnormal result means the test is positive, which means higher levels of rheumatoid factor have been ... [See more](#)



Uita Lab Tests
SAMPLE RESULTS