

— Cardiovascular Health

The circulatory system, also known as the cardiovascular system (CVS), is a vast network of organs and vessels that are responsible for the flow of blood, nutrients, oxygen, other gases, and hormones to and from cells. Without the circulatory system, the body would not be able to fight disease or maintain a stable internal environment like a proper temperature and pH, referred to as homeostasis. The cardiovascular system is made up of three independent systems that work together: the heart (cardiovascular), lungs (pulmonary) and arteries, veins, coronary and portal vessels (systemic).

Hide

Coagulation

Normally, if you get hurt, your body forms a blood clot to stop the bleeding. For blood to clot, your body needs cells called platelets and proteins known as clotting factors. If you have a bleeding disorder, you either do not have enough platelets or clotting factors or they don't work the way they should. Bleeding disorders can be the result of other diseases, such as severe liver disease. They can also be inherited as by example Hemophilia is an inherited bleeding disorder. Bleeding disorders can also be a side effect of medicines.

Hide

— FACTOR V (LEIDE... **NEGATIVE**

Range: See Comments

FACTOR V (LEIDEN) MUTATION

Result Comments

FACTOR V LEIDEN (R506Q) VARIANT NOT DETECTED

— INTERPRETATION **See Below**

Range: See Comments

INTERPRETATION

Result Comments

INTERPRETATION: This individual is negative (normal) for the Factor V Leiden (R506Q) variant in the Factor V gene. Increased risk of thrombophilia can be caused by a variety of genetic and non-genetic factors not screened for by this assay.

Laboratory testing supervised and results monitored by

VARIANT ANALYSIS:

The Factor V Leiden (R506Q) variant [NM_000130.2:c.1601G>A (p.R534Q)] in the Factor V gene is one of the most common causes of inherited thrombophilia. This variant causes resistance to degradation of activated Factor V protein by activated Protein C (APC).

The Factor V Leiden (R506Q) variant is detected by amplification of the selected region of the Factor V gene by polymerase chain reaction (PCR) and fluorescent probe hybridization to the targeted region, followed by end-point analysis with a real time PCR system. Although rare, false positive or false negative results may occur. All results should be interpreted in context of clinical findings, relevant history, and other laboratory data.

Health care providers, please contact your local Quest Diagnostics genetic counselor or call 866-GENEINFO (866-436-3463) for assistance with interpretation of these results.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.